

#### **Field of Application**

FODIS Splice PED is euroclust's street cabinet solution. It is used for distribution cable in FTTH networks in the access part as well as in MAN or WAN networks.

#### Features

- Separated areas for splice and cable management
- 36 ACS positions for highest splice concentration and best modularity
- Hinged doors with an opening angle of 95° which can be removed without tools
- Flexibility of subscribers connectivity



### FODIS Splice PED - Street cabinet solution

FODIS Splice PED is euroclust's street cabinet solution for outdoor cable distributon. It comes with 36 ACS positions for highest splice concentration and best modularity. This solution contain 3 sections: 2xSplice trays base, 10xSplitter trays (red color) and 24xSubscriber splice trays.


Incomming backbone cable is guided into base splice tray. Fibers from base splice trays is guided into splitter trays section, where are cassettes pre-assembled by splitters. Outgoing splitter's fibers are gudied into subscriber section.

Pre-connectorized measuring fiber pigtail from each subscriber's cassette going into pre-assembled front plate by adapters on the oposite side. Maximal capacity of FODIS Splice PED is 576 subscribers.


Technical specifications						
Dimension	440x320x1080mm					
Temperature resistance (min to max)	-45°C - 45°C					
UL Rating	UL 94 V-0					
Chemical resistance	Yes					
UV resistance	Yes					
IP protection class	IP 54					
Material	ABS					



## Dimensions:



#### **Dimensions:**



## www.euroclust.com

#### Product description

#### FODIS Splice PED cassette:

The multi-splice management FODIS Splice PED cassette is used as splice modules. It offer high fiber density along with best maintainability. Maximum flexibility is guaranteed by flexible cassette management and angled cassettes in plastic holders. The material of the splice cassette is a ABS blend. The splice cassette design of the multi-splice management system brings you features mentioned below.

The splice cassettes are available in 2 colors for this execution:

- Red color splitter cassette contain splitters (2x1:32 or 1:64)
- Grey color splice cassette contain two splice protector holders

#### Features:


- Comprehensive fiber containment
- High level of operational security
- Open fiber guidance throughout
- Full bend radius protection
- Cable structure independent
- Integrated cross-over field
- Storage position for unused fibers
- Robust hinge system
- Labelling options at all cassettes



Splice cassette fixed on flexible base inculding two splice protector holders



Splitter splice cassette with two assembled stainless tube 1:32 splitters




Splitter splice cassette with two assembled stainless tube 1:32 splitters - fiber guide

Incoming fiber (0,9mm/0,25mm) Semi-tight protection to bare fiber. Outgoing fiber (0,9mm/0,25mm) Semi-tight protection to bare fiber.



Splitter splice cassette with assembled stainless tube 1:64 splitter

d



Splitter splice cassette fixed on base with assembled stainless tube 1:64 splitter - fiber guide

Technical specifications					
Color	RAL 7035, light grey, RALxxxx, red				
Material	Powder coated steel				
Flammability	UL 94V-0				
Weight (cassette)	145 grams				

Max amount of cassettes:				Max. count of measured pigtails		
Part	Base	Splitter	Subsrciber	Adapter type	SCsx	LCdx
Amount	2	10	24	Count	24	48

C-EN-K01-04/20-001




Systems Eurocard Module System





#### Measuring cable/fiber pigtail

Used cable pigtails SC/APCsx guided on back side of Splice tray pivot plate. Connected into special patch panel 24xSCsx adapters.



#### Scope of delivery

- 1 pc FODIS Splice PED street cabinet housing
- 1 Cabinet Internal Frame-Set

Splice cassette sets according request (cassette+cover)

Protection tubes are available in bend areas automaticaly.

## Packing

The FODIS Ped street cabinet comes assembled based on customer demand. The choosen plinth is separately packed.

Order information:					
FODIS Pro PED rack	ec-Article Nr.:				
FODIS Pro Ped empty rack, 440 width, with internal frame set + protection tubes	EC09.101000.052				
Splice cassette with two splice protector holders SET (included cassette cover), grey	EC03.102010.020				
Splice cassette SET (included cassette cover), empty, grey	EC03.102010.021				
Splitter cassette with stainless steel splitter 1:32 SET (included cassette cover), red	EC06.000455.001				
Splitter cassette SET (included cassette cover), empty, red	EC06.000455.002				
Patch panel for measuring cable pigtails, 24xSC/APC	EC03.101020.009-S				

Note:

Our data sheets are not binding. They are merely a general, informative, and non-binding description and can be changed by us at any time.







